



Enhancing the transformation efficiency of “Forever Chemicals”

Ge Tian^{1,2}, Jie Yang^{1,2}, Chuncheng Chen^{1,2,*}

Citation: Tian, G.; Yang, J.; Chen, C. Enhancing the transformation efficiency of “Forever Chemicals”. *Greenverse Sci.* 2026, 1, 14. <https://dx.doi.org/10.20517/greenvsci.2026.15>

Received: 16 Jun 2026

First Decision: 22 Jul 2026

Revised: 20 Aug 2026

Accepted: 25 Aug 2026

Published: 8 Sep 2026

Academic Editor:


Dengsong Zhang

Copy Editor:

Tong Wang

Production Editor:

Tong Wang



INTRODUCTION

As a class of emerging contaminants of global concern, per- and polyfluoroalkyl substances (PFAS) are characterized by their exceptional persistence against environmental and biological degradation, leading to their designation as “forever chemicals”^[1,2]. They have been widely utilized in extensive applications across various industries such as synthetic surfactants, flame retardants, and protective coatings^[3-5]. In April 2024, the U.S. Environmental Protection Agency (EPA) issued new regulations establishing a maximum allowable level of 4 ng·L⁻¹ for perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) in drinking water^[6].

PFAS comprise over 4,700 synthetic substances with carbon backbones in which hydrogen is partially or fully replaced by fluorine^[7]. The C–F bond is the strongest covalent single bond in organic chemistry, with a bond dissociation energy (BDE), of up to ~485 kJ/mol, which significantly exceeds those of C–C (~330 kJ/mol) and C–H (~410 kJ/mol) bonds^[8,9]. Physical adsorption is widely used for large-scale PFAS treatment but only transfers PFAS from water to an adsorption phase^[10]. Eliminating their



¹Key Laboratory of Photochemistry, CAS Research/Education Center for Excellence in Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China.

²School of Chemical Sciences, University of Chinese Academy of Sciences, Beijing 100190, China.

*Correspondence to: Prof. Chuncheng Chen, Key Laboratory of Photochemistry, CAS Research/Education Center for Excellence in Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China. E-mail: ccchen@iccas.ac.cn




Figure 1. Schematic illustration of the LMCT-mediated degradation pathway of perfluoroalkyl carboxylates. LMCT: Ligand-to-metal charge transfer; PFAS: per- and polyfluoroalkyl substances.

environmental risks requires chemical degradation and complete mineralization. Beyond hydrolysis and high-temperature thermocatalysis, oxidative and reductive defluorination are the most widely investigated approaches under milder conditions^[11]. Many redox-based techniques such as advanced oxidation processes (AOPs)^[12], electrochemical oxidation^[13], semiconductor photocatalysis^[14,15], and hydrated electron (e_{aq}^-)-mediated reduction have been employed for the degradation of PFAS. In the oxidation techniques, PFAS is degraded by losing electrons to sulfate radicals ($SO_4^\bullet$), the electrode or photocatalyst, or through electrophilic attack of the reactive oxygen species such as hydroxyl radicals ($\bullet OH$)^[16]. Due to fluorine's strong electron-withdrawing nature, PFAS forms a robust "electron shield" that renders oxidative degradation ineffective. While its lowered lowest unoccupied molecular orbital (LUMO) energy makes it susceptible to reduction via high-energy electrons, these reduction methods suffer from high energy consumption, incomplete defluorination, and low efficiency for short-chain PFAS^[17]. Furthermore, abundant co-existing interferents in real water matrices further severely inhibit PFAS degradation.

Cleavage of inert C–C and C–F bonds is funda-

mental to PFAS degradation. This Perspective highlights recent advances in enhancing PFAS degradation by tuning PFAS-catalyst interactions to activate these bonds. We show that the interaction modes of PFAS and the catalyst, such as the metal coordination of the polar head groups^[18], F-site interactions^[19] and holistic intercalation of PFAS^[20], would markedly determine the cleavage of C–C and C–F bonds. Besides activating the bond cleavage, the interaction mode of PFAS with a catalyst would also largely influence enrichment and enhance the selective degradation of PFAS from the water matrices.

CRITICAL ROLE OF METAL COORDINATION OF PFAS POLAR HEAD GROUPS

PFAS polar head groups, especially carboxylates ($-COO^-$), can coordinate with high-valent metal centers. Under suitable irradiation, the resulting complexes undergo ligand-to-metal charge transfer (LMCT) [Figure 1], generating a reduced metal center and an oxidized PFAS ligand. Subsequent Kolbe-type decarboxylation cleaves the C–C bond and initiates PFAS oxidative degradation.

For example, Guo *et al.* have successfully triggered a highly efficient degradation process under mild near-ultraviolet (UV) to visible light irradiation by




Figure 2. (A) Photoexcited LMCT decarboxylation pathway for radical generation via Cu^{2+} activation^[18]. Figure 2A is reproduced under the CC BY-NC-ND license; (B) Proposed dual-site activation of PFOA through Ti–O and Bi–F interaction^[22]. Figure 2B is reproduced under the CC BY4.0 license. LMCT: Ligand-to-metal charge transfer.

specifically leveraging the complexation between Cu^{2+} and perfluoroalkyl anions^[18] [Figure 2A]. In this system, near-complete mineralization was achieved, with intermediates of various perfluoroalkyl carboxylic acid (PFCA) chain lengths and ether carboxylic acids. The deep defluorination was attributed to the increasing degradation rates of perfluoroalkyl acids with decreasing chain length in the PFAS/ Cu^{2+} system, together with the rapid degradation and defluorination of trifluoroacetic acid. This observation is remarkable because the intrinsic stability of perfluoroalkyl acids generally increases as their chain length decreases. Notably, this coordination-based strategy was also effective for GenX, an emerging ether-based alternative to legacy PFAS. Under the same LMCT-driven reaction conditions, GenX also underwent near-complete degradation and defluorination within 180 min, demonstrating the potential of terminal carboxylate coordination for activating alternative perfluoroalkyl ether carboxylic acids. While investigating the photochemical degradation of PFAS in the presence of Fe^{3+} , Chen *et al.*^[21] observed an “excessive defluorination” process, besides the LMCT reaction pathway. They attributed this process to hydrolysis occurring in parallel with the LMCT reaction, due to the formation of $[\text{PFOA-Fe}]^{2+}$. By time-dependent density functional theory (TDDFT), they showed that the coordination induces remarkable electron density perturbation within the complex, fundamentally diminishing the robust electron shielding effect along the perfluorinated carbon chain. Consequently, the dissociation energy of internal C–C bonds can be dramatically reduced by up to 53%, rendering the fluorinated backbone highly susceptible to scission in the hydro-

lysis reaction.

In addition to promoting direct C–C cleavage, coordination-mediated LMCT-like processes can facilitate PFAS activation through interfacial electron transfer. Bai *et al.* reported coordinatively unsaturated Ti sites bind the carboxylate group of PFOA through Ti–O coordination^[22]. The resulting surface complex anchors PFOA and draws electron density from the carboxylate group toward the electron-deficient Ti center, making PFOA more susceptible to decarboxylation. This process contributes to efficient degradation at an ultralow catalyst loading [Figure 2B]. In addition to Cu, Fe, and Ti, the head-group coordination effect has also been applied to other metal-based systems for PFAS remediation (e.g., Co^[23], Pd^[24], and Ce^[25,26]).

It should be pointed out that this coordination interaction usually occurs between the carboxylic acids and the metal centers. Therefore, it is mainly applicable to perfluorocarboxylic acids [e.g., PFOA^[18], perfluorohexanoic acid (PFHxA)^[27]]. For PFAS bearing sulfonic acid groups or lacking anionic groups, which coordinate weakly with metals, the applicability of the LMCT pathway remains relatively limited.

LOCALIZED C–F BOND ACTIVATION BY F-SITE INTERACTIONS

Beyond carboxylate groups, the abundant F atoms within PFAS molecules themselves can also serve as interaction sites and influence the defluorination reaction.

Metal-fluorine (M-F) coordination uses Lewis acid-base interactions to withdraw electron density from specific F atoms, elongating C-F bonds and reducing localized bond dissociation energies (BDEs)^[28]. For instance, it is reported that, in Ti- and Bi-bearing bimetallic coordination polymers, coordinatively unsaturated Bi sites induce strong Bi-F bond complexation, which physically elongates the adjacent C-F bond from 1.330 to 1.362 Å, disrupting the stability of the perfluorinated backbone^[22]. The Ga₂O₃/Bi single-atom catalyst reported by Huang *et al.* demonstrates that this activation originates from deep orbital hybridization between Bi 6p and F 2p orbitals^[19]. This robust coordination selectively decreases the Mayer bond order of localized C-F bonds, substantially lowering the thermodynamic energy barrier for subsequent cleavage. This Bi-F coordination strategy achieved complete PFAS degradation within 8 min of irradiation, accompanied by a defluorination efficiency of 67.1%. Furthermore, this M-F affinity principle also governs macroscopic electrochemical reductive environments. Specifically, in lithium-mediated processes, the extreme electronegativity difference between Li metal and F atoms drives rapid electron injection into C-F antibonding orbitals, cleaving the bonds to form thermodynamically stable Li-F^[29]. Consequently, M-F coordination acts as a critical thermodynamic and kinetic lever that transforms random, non-selective attacks into precision defluorination by penetrating the electron shield, inducing localized bond distortion. Despite its effectiveness, the lithium-mediated reduction system requires large volumes of organic solvents, creating secondary pollution risks and making it impractical for direct PFAS remediation in real-world waters.

ENHANCING PFAS SELECTIVITY THROUGH HOLISTIC MOLECULAR CAPTURE

Compared to targeted anchoring limited to the carboxyl terminal group or local activation of a single C-F bond, overall recognition of the entire molecular chain is gradually becoming the key to overcoming degradation bottlenecks^[30,31]. Previous studies have confirmed that precise capture of the entire perfluorinated chain can be achieved by utilizing the inclusion complexation of macrocyclic host molecules such as cyclodextrins. This mechanism has already demonstrated extremely high specificity in environmental sensing and detection^[32-34].

This fundamental recognition logic is currently being introduced into the field of catalytic degradation. Molecular imprinting technology constructs surface recognition cavities that match the three-dimensional structure of the target molecule, which enables the overall anchoring of the perfluorinated molecules^[35]. Taking recent photoelectrocatalytic research as an example, functionalizing a titanium dioxide photoanode with highly exposed (201) facets via molecular imprinting successfully converted the adsorption configuration of PFOA on the catalyst surface^[20]. It forced a shift from the traditional carboxylate monodentate adsorption to a preferential adsorption along the perfluoroalkyl backbone. This transformation in adsorption configuration directly causes an enhancement in efficiency. Specific backbone anchoring promotes mass transfer of target molecules on the catalyst surface and significantly lowers the energy barrier for the decarboxylation reaction, which is the rate-determining step. Consequently, the utilization efficiency of photogenerated holes increased substantially from 9.6% to 39.3%, accompanied by a significant reduction in the accumulation of short-chain intermediates.

Beyond M-F coordination, non-metal fluorine interactions, particularly F-F interactions, provide another route for PFAS recognition. Fluorinated metal-organic frameworks (MOFs) have been used for highly selective PFAS sensing^[36,37]. These interactions arise from the “fluorous effect”: fluorine’s high electronegativity and low polarizability make perfluorinated chains both hydrophobic and lipophobic, driving “like-seeks-like” aggregation that lowers the system’s free energy^[10]. This effect could guide the design of catalysts that combine selective PFAS recognition with deep mineralization.

Although highly selective for PFAS, molecularly imprinted polymers and fluorous-affinity materials face synthesis, cost, and environmental barriers. Future research should develop scalable, green synthetic routes and robust, reusable interfaces with less reliance on persistent fluorinated precursors, which is vital for translating these systems from lab concepts to practical remediation.

SUMMARY AND PERSPECTIVE

In summary, complete PFAS mineralization requires a shift from nonselective attack to precision degrada-

tion through coordination and recognition. Terminal-group complexation modulates local electron density and initiates charge transfer. Targeted fluorine interactions weaken selected C–F bonds by penetrating the electron shield of the perfluorinated backbone. Finally, molecular imprinting promotes whole-backbone recognition, overcoming mass-transfer limitations at trace concentrations by enriching PFAS within catalytic microenvironments. Together, these local-to-global strategies provide a framework for overcoming PFAS chemical inertness. Moreover, these three interaction-engineering strategies are not limited to legacy PFAS but also show potential for emerging PFAS, including GenX, PFHxA, and 6:2 fluorotelomer sulfonate (6:2 FTS).

Although these mechanisms show substantial potential at both the fundamental and laboratory scales, translating them into real-world aquatic remediation remains a formidable challenge. Future research on PFAS degradation should prioritize the following three critical dimensions:

Catalyst durability and practical applicability in real water matrices

The practical application of PFAS degradation catalysts requires improved stability, reusability, and performance in realistic water matrices. Most current studies remain limited to short-term tests, typically involving only a few reuse cycles or several hours of operation, which are insufficient to demonstrate long-term durability. Future work should evaluate continuous operation, catalyst structural evolution, and metal leaching in the presence of coexisting ions and natural organic matter. These efforts are essential to assess the environmental safety, scalability, and real-world feasibility of PFAS treatment technologies.

Tracking intermediates and fluorine mass balance

Comprehensive fluorine mass balance is essential for evaluating PFAS degradation, yet non-standardized protocols hinder reproducibility. Harmonized workflows should combine validated fluoride quantification [e.g., Ion chromatography (IC) with matrix-matched calibration, blanks, and recovery tests] targeted liquid chromatography-mass spectrometry (LC-MS) for known PFAS and short-chain perfluoroalkyl acids (PFAAs), and liquid chromatography-high-resolution mass spectrometry

(LC-HRMS) for suspect/non-target screening of transformation products. Where concentrations permit, quantitative fluorine-19 nuclear magnetic resonance spectroscopy (^{19}F NMR) can complement organofluorine and fluorine-recovery analyses. Reporting detection limits, recoveries, sampling procedures, and mass-balance calculations is crucial for comparable defluorination assessment.

AI-assisted design of integrated adsorption-degradation systems

AI-assisted screening can accelerate integrated adsorption-degradation system design for PFAS remediation. Machine learning and high-throughput calculations can identify materials that combine strong PFAS binding with favorable charge-transfer properties, C-F activation barriers, stability, and resistance to metal leaching. By enriching PFAS near active sites, these systems may overcome mass-transfer limitations at environmentally relevant concentrations and enable *in situ* degradation. AI-guided designs should be validated in realistic water matrices under long-term operation, with attention to regeneration, competing ions, desorption, and secondary release.

DECLARATIONS

Authors' contributions

Made substantial contributions to conception: Tian, G.; Yang, J.; Chen, C.

Performed data acquisition: Tian, G.; Yang, J.

Provided financial support, supervised the research progress, and performed final review and editing of the manuscript: Chen, C.

Availability of data and materials

Not applicable.

AI and AI-assisted tools statement

During the preparation of this manuscript, the AI tool Gemini (version 3.1 Pro, released 2026-02-19) was used solely for Graphical Abstract and Figure 1. The tool did not influence the study design, data collection, analysis, interpretation, or the scientific content of the work. All authors take full responsibility for the accuracy, integrity, and final content of the manuscript.

Financial support and sponsorship

This work was supported by the National Key R&D Program of China (No. 2024YFA1211000), the National Natural Science Foundation of China (Nos.

22321004 and 22136005).

Conflicts of interest

Chen, C. is an Associate Editor of *Greenverse Science* and a Guest Editor of the Special Issue “Design of Porous Photocatalysts and Their Applications in Environmental Remediation” in *Greenverse Science*. He was not involved in any aspect of the editorial process for this manuscript, including reviewer selection, manuscript handling, or decision-making. The other authors declare that they have no conflicts of interest.

Ethical approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Copyright

© The Author(s) 2026.

REFERENCES

- Trang, B.; Li, Y.; Xue, X. S.; Ateia, M.; Houk, K. N.; Dichtel, W. R. Low-temperature mineralization of perfluorocarboxylic acids. *Science* **2022**, *377*, 839–45. DOI PubMed
- Chen, Z.; Dong, R.; Wang, X.; et al. Efficient decomposition of perfluoroalkyl substances by low concentration indole: new insights into the molecular mechanisms. *Environ. Sci. Technol.* **2024**, *58*, 3530–9. DOI PubMed
- Song, D.; Qiao, B.; Feng, Q.; et al. Electrochemical degradation of perfluorooctanoic acid: fluorine mass balance and strategies to limit short-chain byproducts. *Water. Res.* **2026**, *292*, 125369. DOI PubMed
- Fernandes, R. J. C.; Silva, A. R.; Cardoso, B. D.; Coutinho, P. J. G.; Pereira, L. Potential of photocatalytic nanomaterials for PFOA and PFOS degradation: challenges and opportunities. *J. Environ. Chem. Eng.* **2025**, *13*, 115201. DOI
- Evich, M. G.; Davis, M. J. B.; Mccord, J. P.; et al. Per- and polyfluoroalkyl substances in the environment. *Science* **2022**, *375*, eabg9065. DOI PubMed PMC
- US EPA. Per- and polyfluoroalkyl substances (PFAS). <https://www.epa.gov/sdwa/and-polyfluoroalkyl-substances-pfas>. (accessed 2026-09-02).
- Lenka, S. P.; Kah, M.; Padhye, L. P. A review of the occurrence, transformation, and removal of poly- and perfluoroalkyl substances (PFAS) in wastewater treatment plants. *Water. Res.* **2021**, *199*, 117187. DOI PubMed
- Duinslaeger, N.; Radjenovic, J. Electrochemical degradation of per- and polyfluoroalkyl substances (PFAS) using low-cost graphene sponge electrodes. *Water. Res.* **2022**, *213*, 118148. DOI PubMed
- Biswas, S.; Yamijala, S. S. R. K. C.; Wong, B. M. Degradation of per- and polyfluoroalkyl substances with hydrated electrons: a new mechanism from first-principles calculations. *Environ. Sci. Technol.* **2022**, *56*, 8167–75. DOI PubMed PMC
- Zhang, G.; Li, Y.; Wang, X. A.; et al. Covalent organic frameworks for adsorption of per- and polyfluoroalkyl substances (PFAS). *ACS. Appl. Polym. Mater.* **2026**, *8*, 1503–13. DOI
- Sun, R.; Alinezhad, A.; Altarawneh, M.; et al. New insights into thermal degradation products of long-chain per- and polyfluoroalkyl substances (PFAS) and their mineralization enhancement using additives. *Environ. Sci. Technol.* **2024**, *58*, 22417–30. DOI PubMed
- Yang, L.; He, L.; Xue, J.; et al. Persulfate-based degradation of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) in aqueous solution: review on influences, mechanisms and prospective. *J. Hazard. Mater.* **2020**, *393*, 122405. DOI PubMed
- Veciana, M.; Bräunig, J.; Farhat, A.; et al. Electrochemical oxidation processes for PFAS removal from contaminated water and wastewater: fundamentals, gaps and opportunities towards practical implementation. *J. Hazard. Mater.* **2022**, *434*, 128886. DOI PubMed
- Liu, X.; Duan, X.; Bao, T.; et al. High-performance photocatalytic decomposition of PFOA by BiOX/TiO₂ heterojunctions: self-induced inner electric fields and band alignment. *J. Hazard. Mater.* **2022**, *430*, 128195. DOI PubMed
- Liu, F.; Li, H.; Gao, Z.; et al. Steering charge transfer in CuInS₂/BiOCl composites to enable sunlight-driven C–F bond cleavage of PFAS in water. *Nat. Water.* **2026**, *4*, 334–47. DOI
- Zhang, C.; Tang, T.; Knappe, D. R. U. Oxidation of per- and polyfluoroalkyl ether acids and other per- and polyfluoroalkyl substances by sulfate and hydroxyl radicals: kinetic insights from experiments and models. *Environ. Sci. Technol.* **2023**, *57*, 18970–80. DOI PubMed PMC
- Cui, J.; Gao, P.; Deng, Y. Destruction of per- and polyfluoroalkyl substances (PFAS) with advanced reduction processes (ARPs): a critical review. *Environ. Sci. Technol.* **2020**, *54*, 3752–66. DOI PubMed
- Guo, J.; Zhang, P.; Yu, H.; Fang, B.; Sun, H. Photoexcited LMCT of Cu²⁺ perfluorocarboxylate for initiating efficient defluorination. *Nat. Commun.* **2025**, *16*, 11628. DOI PubMed PMC
- Huang, L.; Li, Y.; Zhang, C.; et al. Dual-functional Bi single atom sites enabling superior photocatalytic degradation of perfluorooctanoic acid. *Appl. Catal. B: Environ. Energy.* **2026**, *395*, 126889. DOI
- An, Z.; Xie, Q.; Xu, S.; et al. Selective recognition and activation for accelerated decarboxylation and C–F bond cleavage of perfluorooctanoic acid. *Appl. Catal. B: Environ. Energy.* **2025**, *379*, 125735. DOI

21. Chen, Y.; Ma, H.; Zhu, J.; Gu, Y.; Liu, T. New insights into ferric iron-facilitated UV254 photolytic defluorination of perfluorooctanoic acid (PFOA): combined experimental and theoretical study. *J. Hazard. Mater.* **2022**, *434*, 128865. DOI PubMed
22. Bai, L.; Onwumere, J.; Ezugwu, C. I.; et al. Activating PFAS for efficient photocatalytic defluorination using ultralow-dose Ti-doped bismuth coordination catalysts with unsaturated metal sites. *Appl. Catal. B: Environ. Energy.* **2026**, *384*, 126230. DOI
23. Yang, Y.; Liu, J.; Qin, F.; et al. Degradation of an emerging PFAS compound-sodium *p*-perfluorooxynonenoxybenzenesulfonate via phosphate-enhanced activation of peroxymonosulfate by trace Co(II). *ACS. EST. Water.* **2026**, *6*, 2235-45. DOI
24. Huang, D.; Wang, K.; Niu, J.; et al. Amorphous Pd-loaded Ti₄O₇ electrode for direct anodic destruction of perfluorooctanoic acid. *Environ. Sci. Technol.* **2020**, *54*, 10954-63. DOI PubMed
25. Lin, H.; Xiao, R.; Xie, R.; et al. Defect engineering on a Ti₄O₇ electrode by Ce³⁺ doping for the efficient electrooxidation of perfluorooctanesulfonate. *Environ. Sci. Technol.* **2021**, *55*, 2597-607. DOI PubMed
26. Liang, Y.; Wang, A.; Liang, S.; et al. Durable Ti₄O₇ heterojunction composite membrane encapsulating N-doped graphene nanosheets for efficient electro-oxidation of GenX and other PFAS in fluorochemical wastewater. *Environ. Sci. Technol.* **2025**, *59*, 4745-55. DOI PubMed
27. Wang, R.; Huang, Y.; Fan, B.; et al. Fe(III)-mediated PFAS phototransformation under UV222 irradiation: LMCT initiation chemistry and performance in electroplating wastewater. *Water. Res.* **2026**, *301*, 126053. DOI PubMed
28. Mohamed, M. S.; Chaplin, B. P.; Abokifa, A. A. Screening of transition metals for PFAS adsorption: a comparative DFT investigation. *Chem. Eng. Sci.* **2025**, *307*, 121363. DOI
29. Sarkar, B.; Kumawat, R. L.; Ma, P.; et al. Lithium metal-mediated electrochemical reduction of per- and polyfluoroalkyl substances. *Nat. Chem.* **2026**, *18*, 509-18. DOI PubMed
30. Tasfaout, A.; Ibrahim, F.; Morrin, A.; et al. Molecularly imprinted polymers for per- and polyfluoroalkyl substances enrichment and detection. *Talanta* **2023**, *258*, 124434. DOI PubMed
31. Román Santiago, A.; Yin, S.; Elbert, J.; Lee, J.; Shukla, D.; Su, X. Imparting selective fluorophilic interactions in redox copolymers for the electrochemically mediated capture of short-chain perfluoroalkyl substances. *J. Am. Chem. Soc.* **2023**, *145*, 9508-19. DOI PubMed
32. Lin, Z. W.; Kim, S.; Dyakiv, Y.; et al. A Macroporous cyclodextrin monolith for continuous removal of per- and polyfluoroalkyl substances from water. *J. Am. Chem. Soc.* **2025**, *147*, 33761-9. DOI PubMed
33. Tao, T.; Zhang, B. X.; Li, Z.; et al. Femtomolar congener-selective detection of perfluoroalkyl substances in water by a cyclodextrin-oriented molecularly imprinted transistor sensor. *Environ. Sci. Technol.* **2026**, *60*, 9895-906. DOI PubMed
34. Wang, W.; Shao, H.; Zhou, S.; et al. Rapid removal of perfluoroalkanesulfonates from water by β -cyclodextrin covalent organic frameworks. *ACS. Appl. Mater. Interfaces.* **2021**, *13*, 48700-8. DOI PubMed
35. Hu, L.; Li, Y.; Zhang, W. Characterization and application of surface-molecular-imprinted-polymer modified TiO₂ nanotubes for removal of perfluorinated chemicals. *Water. Sci. Technol.* **2016**, *74*, 1417-25. DOI PubMed
36. Liang, J.; Yang, N.; Chen, Y.; et al. Fluorine-driven polychromatic colorimetric screening of PFAS via iodide-mediated gold nanorod etching on a dual-ligand Cu-MOF: a “no aggregation, low inhibition” sensing paradigm. *Anal. Chem.* **2026**, *98*, 10015-30. DOI PubMed
37. Zhu, X.; Liang, N.; Zhang, Z.; et al. Surface fluorination engineering of FeCo prussian blue analogs with boosted peroxidase-like activity and selectivity: an integrated nanozyme-membrane sensing platform for perfluorooctanesulfonate. *Anal. Chem.* **2026**, *98*, 8413-23. DOI PubMed

Disclaimer/Publisher's Note: All statements, opinions, and data contained in this publication are solely those of the individual author(s) and contributor(s) and do not necessarily reflect those of OAE and/or the editor(s). OAE and/or the editor(s) disclaim any responsibility for harm to persons or property resulting from the use of any ideas, methods, instructions, or products mentioned in the content.



© The Author(s) 2026. Open Access This article is licensed under a Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, sharing, adaptation, distribution and reproduction in any medium or format, for any purpose, even commercially, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.