

Editor's Choice

Open Access



Amazing circularly polarized luminescence in inorganic materials

Bao-Lian Su^{1,2,*}

¹State Key Laboratory of Advanced technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430074, Hubei, China.

²Laboratory of Inorganic Materials Chemistry, University of Namur, Namur B-5000, Belgium.

*Correspondence to: Prof. Bao-Lian Su, Laboratory of Inorganic Materials Chemistry, University of Namur, Rue de Bruxelles 61, Namur B-5000, Belgium. E-mail: bao-lian.su@unamur.be

How to cite this article: Su BL. Amazing circularly polarized luminescence in inorganic materials. *Chem Synth* 2022;2:4. <https://dx.doi.org/10.20517/cs.2022.08>

Received: 22 March 2022 **Accepted:** 22 March 2022 **Published:** 25 March 2022

Academic Editor: Bao-Lian Su **Copy Editor:** Jia-Xin Zhang **Production Editor:** Jia-Xin Zhang

Circularly polarized luminescence (CPL) is an amazing optical event specifically arising from chiral luminescent materials, which preferably emit either left-handed or right-handed circularly polarized light. CPL-active materials will find broad applications in many areas such as laser sources, 3D display, anti-counterfeiting, and bioimaging^[1-3]. In recent years, the development of CPL-active materials has become an active interdisciplinary topic across the fields of chirality and optics^[4]. Chirality is one prerequisite for CPL, and most CPL-active materials are traditionally constructed by using organic matter^[5], partially due to the long history of chirality research in organic chemistry. Nevertheless, chirality is not limited to organic substances but is also found in natural and synthetic inorganic matter. Especially, great advances have been achieved on sophisticated synthesis strategies of chiral inorganic materials in the past decade^[6]. As a result, the design of CPL-active systems using inorganic substances has gained increasing attention, which is significant to expand the scope of CPL-active materials.

In this issue of *Chemical Synthesis*, Liu *et al.*^[7] gave an overview of nascent topics on CPL generated by inorganic materials [Figure 1]. In this review, the authors firstly introduced the basics of CPL, and subsequently summarized three common construction strategies for inorganics-associated CPL-active materials, including: (1) inorganic luminophores with intrinsically chiral structures; (2) inorganic luminophores with chiroptical activity induced by chiral organic ligands; (3) chiral inorganic nanomaterials



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, sharing, adaptation, distribution and reproduction in any medium or format, for any purpose, even commercially, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.






Figure 1. Schematic of CPL spectra generated by various inorganic matter through the combination of chirality and luminescence. CPL: Circularly polarized luminescence.

combined with luminophores.

The above construction methodologies are further clarified in the following two aspects: 1) endowing common inorganic luminophores with CPL, which are demonstrated by lanthanide ions, transition metal ions, metal clusters, semiconductor nanocrystals, carbon dots, and perovskite nanocrystals; 2) the usage of chiral inorganic materials as chirality sources for CPL, which include chiral nano-silica, inorganic nanocrystals and assemblies. Moreover, many CPL-related properties of these materials are summarized, which include luminophores, chirality sources, excitation/emission bands, quantum yields, and g_{lum} .

In many reports, CPL is based on down-conversion fluorescence with emission bands in the visible light spectrum. Different from this common CPL, the authors continued to introduce some special CPL-active systems featured with up-conversion, NIR emission, thermally activated delayed fluorescence (TADF), and room-temperature phosphorescence. Furthermore, they demonstrate the potential applications of inorganics-based CPL in various areas such as sensors, anti-counterfeiting, optical storage, and asymmetric synthesis.

As for the future study of inorganics-associated CPL-active systems, the authors also put forward their own perspectives on the acquisition of reliable CPL data, improving g_{lum} , evaluation of CPL properties, understanding CPL mechanism, and exploring CPL-related applications.

In summary, Liu *et al.*^[7] provided readers with an overview of CPL generated by inorganic materials. These pieces of information are valuable to give insights and guidelines for the design of inorganics-associated CPL-active systems with improved CPL effects and novel applications. We are waiting for more amazing optical events.

DECLARATIONS

Authors' contributions

The author contributed solely to this manuscript.

Availability of data and materials

Not applicable.

Financial support and sponsorship

None.

Conflict of interest

The author declared that there are no conflicts of interest.

Ethical approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Copyright

© The Author(s) 2022.

REFERENCES

1. Zhan X, Xu FF, Zhou Z, Yan Y, Yao J, Zhao YS. 3D laser displays based on circularly polarized lasing from cholesteric liquid crystal arrays. *Adv Mater* 2021;33:e2104418. [DOI](#) [PubMed](#)
2. MacKenzie LE, Pal R. Circularly polarized lanthanide luminescence for advanced security inks. *Nat Rev Chem* 2021;5:109-24. [DOI](#)
3. Stachelek P, MacKenzie L, Parker D, Pal R. Circularly polarised luminescence laser scanning confocal microscopy to study live cell chiral molecular interactions. *Nat Commun* 2022;13:553. [DOI](#) [PubMed](#) [PMC](#)
4. Gong Z-L, Zhu X, Zhou Z, et al. Frontiers in circularly polarized luminescence: molecular design, self-assembly, nanomaterials, and applications. *Sci China Chem* 2021;64:2060-104. [DOI](#)
5. Deng Y, Wang M, Zhuang Y, Liu S, Huang W, Zhao Q. Circularly polarized luminescence from organic micro-/nano-structures. *Light Sci Appl* 2021;10:76. [DOI](#) [PubMed](#) [PMC](#)
6. Kim H, Im SW, Kim RM, et al. Chirality control of inorganic materials and metals by peptides or amino acids. *Mater. Adv* 2020;1:512-24. [DOI](#)
7. Liu X, Jin R. Recent topics on circularly polarized luminescence generated by inorganic materials. *Chem Synth* 2022;2:1.