

Editorial

Open Access



Self-assembled nanostructures and materials: smart and bright!

Chen Wang*

School of Chemistry and Molecular Engineering, East China Normal University, Shanghai 200241, China.

*Correspondence to: Chen Wang, School of Chemistry and Molecular Engineering, East China Normal University, Shanghai 200241, China. E-mail: cwang@chem.ecnu.edu.cn

How to cite this article: Wang C. Self-assembled nanostructures and materials: smart and bright! *Chem Synth* 2023;3:36. <https://dx.doi.org/10.20517/cs.2023.36>

Received: 27 Jul 2023 **Accepted:** 2 Aug 2023 **Available online:** 2 Aug 2023

Academic Editor: Bao-Lian Su **Copy Editor:** Lin He **Production Editor:** Lin He

Self-assembly is a widely observed phenomenon in the natural world, where building blocks (e.g., small molecules, macromolecules, colloids, macroscopic particles, etc.) are synergistically organized through multiple weak interactions to form dynamic multi-component assembled systems in a programmable and controllable manner^[1-3]. This enables the creation of various nanostructures and materials with tailored properties and complex functions. The development of artificial molecular assembly and biomimetic assembly research can provide new methods and tools for investigating and understanding thermodynamics and kinetics of self-assembled processes. By deeply understanding self-assembly at the molecular level, researchers step forward to fabricate self-assembled nanostructures or materials with desired geometries and properties, which provide more opportunities for high-performance applications, such as therapy, imaging, energy harvesting, catalysis, signal dynamics regulation, and so on^[4-6]. Through elaborate design of molecules or building blocks with desired structural parameters and optimization of experimental conditions to control assembled pathways, various materials with advanced and improved functions could be envisioned.

The Special Issue is focused on the recent progress of self-assembly structures or materials in broad interdisciplinary areas, which involve organic/inorganic chemistry, polymer chemistry, colloid and surface chemistry, nanotechnology, soft materials, and material science. Recently, many scientists have developed self-assembled systems based on biopolymers, such as DNA, proteins, and polypeptides, as well as other natural or synthetic biopolymers^[7,8]. For example, Zhong *et al.* utilized the dynamic and exchangeable



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, sharing, adaptation, distribution and reproduction in any medium or format, for any purpose, even commercially, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.



nature of DNA hydrogen bonding to build a series of artificial dynamic nucleic-acid-based networks^[9]. Their review highlights the potential of DNA networks for mimicking biological transformations and addresses the challenges of building dynamic networks with life-like behavior in cell-like confined environments. Apart from supramolecular DNA-based nanotechnology, Sun *et al.* summarized the recent advances in host-guest assemblies for enhanced photothermal therapy^[10]. Taking advantage of the dynamic features and unique microenvironments of host-guest complexes, we discussed improved photothermal efficiency, enhanced distribution at target cancer sites, and multimodal therapy. This opens an alternative avenue for high-performance biomedical applications. Recently, Mao *et al.* developed copper-based chalcogenides with well-controlled electrical and optical properties, demonstrating huge opportunities for biomedical and clinical applications^[11]. Besides utilizing the self-assembly concept in biomedical areas, different self-assembled materials with porous structures have emerged for water harvesting^[12]. By designing and tuning the pores and exo- or endo-sites of porous materials, the interactions between adsorbents and water can be well regulated; thus, water absorption into such materials is achieved in an efficient way. Another example reported Pd nanoclusters anchored on carbon support for heterogeneous catalysis, which indicates superior catalytic activity of ultrasmall Pd nanoclusters^[13].

The above-mentioned examples highlight the significant potential of self-assembly chemistry in boosting elaborate design and synthesis of advanced supramolecular systems. We hope to stimulate further endeavors to create materials that have not yet been possible in the synthetic world and to fully explore their potential in diverse applications.

DECLARATIONS

Authors' contributions Wrote the draft of this editorial article: Wang C
All authors have provided suggestions on the article.

Availability of data and materials

Not applicable.

Financial support and sponsorship

Not applicable.

Conflicts of interest

All authors declared that there are no conflicts of interest.

Ethical approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Copyright

© The Author(s) 2023.

REFERENCES

1. Li Z, Fan Q, Yin Y. Colloidal self-Assembly approaches to smart nanostructured materials. *Chem Rev* 2022;122:4976-5067. DOI [PubMed](#)
2. Boles MA, Engel M, Talapin DV. Self-assembly of colloidal nanocrystals: from intricate structures to functional materials. *Chem Rev* 2016;116:11220-89. DOI [PubMed](#)

3. Liu G, Humphrey MG, Zhang C, Zhao Y. Self-assembled stereomutation with supramolecular chirality inversion. *Chem Soc Rev* 2023;52:4443-87. [DOI](#) [PubMed](#)
4. Sinha NJ, Langenstein MG, Pochan DJ, Kloxin CJ, Saven JG. Peptide design and self-assembly into targeted nanostructure and functional materials. *Chem Rev* 2021;121:13915-35. [DOI](#) [PubMed](#)
5. Zhang X, Gong C, Akakuru OU, Su Z, Wu A, Wei G. The design and biomedical applications of self-assembled two-dimensional organic biomaterials. *Chem Soc Rev* 2019;48:5564-95. [DOI](#)
6. Li C, Li Q, Kaneti YV, Hou D, Yamauchi Y, Mai Y. Self-assembly of block copolymers towards mesoporous materials for energy storage and conversion systems. *Chem Soc Rev* 2020;49:4681-736. [DOI](#)
7. Wang C, Zhang J. Recent advances in stimuli-responsive DNA-based hydrogels. *ACS Appl Bio Mater* 2022;5:1934-53. [DOI](#)
8. Wang C, Willner B, Willner I. Redox-responsive and light-responsive DNA-based hydrogels and their applications. *Reactive and Functional Polymers* 2021;166:104983. [DOI](#)
9. Zhong R, Yi L, Wang X, Shu W, Yue L. Bioinspired nucleic acid-based dynamic networks for signal dynamics. *Chem Synth* 2023;3:27. [DOI](#)
10. Sun X, Ye Q, Zhou J, Han J, Guo R. Host-guest assemblies for improved photothermal cancer therapy. *Chem Synth* 2023;3:16. [DOI](#)
11. Mao Q, Ma J, Chen M, Lin S, Razzaq N, Cui J. Recent advances in heavily doped plasmonic copper chalcogenides: from synthesis to biological application. *Chem Synth* 2023;3:26. [DOI](#)
12. Zhang S, Fu J, Xing G, Zhu W, Ben T. Recent advances in porous adsorbent assisted atmospheric water harvesting: a review of adsorbent materials. *Chem Synth* 2023;3:10. [DOI](#)
13. Liu D, Zhou C, Wang G, et al. Active Pd nanoclusters supported on nitrogen/amino co-functionalized carbon for highly efficient dehydrogenation of formic acid. *Chem Synth* 2023;3:24. [DOI](#)